

Notable invertebrates associated with lowland raised bog (and margins)

Spiders and allies (Arachnida: Araneae and Pseudoscorpiones)

<i>Maro lepidus</i>	RDB3
<i>Agraecina striata</i>	Nb
<i>Entelecara omissa</i>	Na
<i>Hypomma fulvum</i>	Na
<i>Singa hamata</i>	Nb
<i>Sitticus caricis</i>	Nb
<i>Theridiosoma gemmosum</i>	Nb

Dragonflies and damselflies (Odonata)

<i>Leucorrhinia dubia</i>	White-faced dragonfly	N
<i>Orthetrum coerulescens</i>	Keeled skimmer	N
<i>Ceriagrion tenellum</i>	Small red damselfly	N

Grasshoppers and crickets (Orthoptera)

<i>Stethophyma grossum</i>	BAP Priority	RDB2
<i>Metrioptera brachyptera</i>	Bog bush-cricket	Nb

True bugs (Hemiptera)

Heteroptera

<i>Pachybrachius luridus</i>	RDB3
<i>Nabis brevis</i>	RDB3
<i>Rhopalus maculatus</i>	Nb
<i>Pachycoelus waltli</i>	Nb
<i>Micracanthia marginalis</i>	Na
<i>Lamproplax picea</i>	Local
<i>Pachybrachius fracticollis</i>	Local
<i>Chartoscirta cocksii</i>	Local

Leafhoppers, planthoppers, froghoppers, treehoppers & cicadas

(Auchenorrhyncha)

<i>Oncodelphax pullulus</i>	Nb
<i>Stroggylocephalus livens</i>	Nb

Flies (Diptera)

Soldier flies, bee flies, robber flies & allies (Larger Brachycera)

<i>Atylotus plebeius</i>	RDB1
<i>Chrysops sepulchralis</i>	RDB1
<i>Hybomitra muehlfeldi</i>	RDB3
<i>Hybomitra lurida</i>	RDB3
<i>Atylotus fulvus</i>	N

Hoverflies (Syrphidae)

<i>Parhelophilus consimilis</i>	RDB2
<i>Anasymia lunulata</i>	N
<i>Melanogaster aeroa</i>	N
<i>Orthonevra geniculata</i>	N

Blowflies, dung flies, flesh flies and allies (Calyprata)

<i>Phaonia jaroschewskii</i>	RDB2 "The Hairy Canary"
------------------------------	-------------------------

Beetles (Coleoptera)		
Ground beetles (Carabidae)		
<i>Carabus intricatus</i>	BAP Priority	RDB1
<i>Pterostichus aterrimus</i>	BAP Priority	RDB1
<i>Bembidion humerale</i>	Species Statement	RDB1
<i>Acupalpus flavicollis</i>	Na	
<i>Agonum ericeti</i>	Nb	
<i>Bembidion obliquum</i>	Nb	
<i>Elaphrus uliginosus</i>	Nb	
<i>Miscodera arctica</i>	Nb	
Leaf beetles (Chrysomelidae)		
<i>Cryptocephalus decemmaculatus</i>	BAP Priority	RDB 2
<i>Cryptocephalus biguttatus</i>	RDB2	
<i>Hydrothassa hannoveriana</i>	RDB3	
<i>Longitarsus nigerrimus</i>	RDB1	
<i>Altica ericeti</i>	Notable B	
Rove beetles and allies (Staphylinidae /Scydmaenidae/Silphidae)		
<i>Stenus kiesenwetteri</i>	RDB2	
<i>Paederus caligatus</i>	RDB3	
<i>Erichsonius ytenensis</i>	RDB1	
<i>Acylophorus glaberrimus</i>	RDB1	
<i>Schistoglossa aubei</i>	RDBK	
<i>Bibloplectus tenebrosus</i>	RDBK	
<i>Stenus fornicatus</i>	Nb	
<i>Stenus niveus</i>	Nb	
<i>Paederus fuscipes</i>	Nb	
<i>Myllaena kraatzi</i>	N	
<i>Bibloplectus pusillus</i>	N	
<i>Bibloplectus spinosus</i>	N	
<i>Pselaphaulax dresdensis</i>	N	
<i>Stenus bifoveolatus</i>	Local	
<i>Stenus melanarius</i>	Local	
<i>Stenus nitidiusculus</i>	Local	
<i>Lathrobium terminatum</i>	Local	
<i>Ochthephilum fracticorne</i>	Local	
<i>Erichsonius cinerascens</i>	Local	
<i>Philonthus nigrita</i>	Local	
<i>Tachyporus transversalis</i>	Local	
<i>Gymnusa brevicollis</i>	Local	
<i>Platycheirus ramsarensis</i> (possibly occurs on lowland raised bog in the southwestern part of its range)		
Dung beetles and chafers (Scarabaeidae)		
<i>Onthophagus fracticornis</i>	RDBK	
Click beetles (Elateridae)		
<i>Ampedus nigrinus</i>	Nb	
<i>Ampedus pomorum</i>	Nb	
Caddis flies (Trichoptera)		
<i>Hagenella clathrata</i>	RDB1	
<i>Rhadicoleptus alpestris</i>	Local	
<i>Limnephilus coenosus</i>	Common & Regionally Notable	

Oligotricha striata

Regionally Notable

Ants, bees and wasps (Hymenoptera: Aculeata)

Formica candida Black bog ant

BAP Priority