

Notable species associated with lowland wood pasture

Spiders and allies (Arachnida: Araneae and Pseudoscorpiones)

<i>Mastigusa arietina</i>	RDB2
<i>Mastigusa macrophthalma</i>	RDB3
<i>Midia midas</i>	RDB2
<i>Pistius truncatus</i>	RDB1
<i>Tuberta maerens</i>	RDB3
<i>Achaeearanea simulans</i>	Nb
<i>Clubiona caerulescens</i>	Nb
<i>Haplodrassus silvestris</i>	Nb
<i>Marpissa muscosa</i>	Nb
<i>Meta bourneti</i>	Nb
<i>Philodromus albidus</i>	Nb
<i>Philodromus margaritatus</i>	Nb
<i>Philodromus praedatus</i>	Nb
<i>Salticus zebraneus</i>	Na
<i>Xysticus luctuosus</i>	Nb
<i>Zygiella stroemi</i>	Nb

Pseudoscorpiones

<i>Dendrochernes cyrneus</i>	RDB3
------------------------------	------

Centipedes (Chilopoda)

<i>Chalandea pinguis</i>	Nb
<i>Lithobius muticus</i>	Nb

Woodlice (Isopoda)

<i>Trichoniscoides helveticus</i>	Nb
-----------------------------------	----

Grasshoppers, crickets, earwigs & cockroaches (Orthoptera/Dermaptera/Dictyoptera)

<i>Nemobius sylvestris</i>	Na
<i>Omocestus rufipes</i>	Nb
<i>Ectobius lapponicus</i>	Nb

True bugs Hemiptera

Heteroptera

<i>Aradus aterrimus</i>	RDB3
<i>Aradus corticalis</i>	RDB3
<i>Lygus pratensis</i>	RDB3
<i>Sehirus biguttatus</i>	Nb
<i>Eurydema dominulus</i>	Na
<i>Oncochila simplex</i>	Nb
<i>Empicoris baerunspringi</i>	Na
<i>Myrmedobia coleoptrata</i>	Nb
<i>Psallus albicinctus</i>	Nb
<i>Aradus depressus</i>	Local
<i>Reduvius personatus</i>	Local

Leafhoppers, planthoppers, froghoppers, treehoppers & cicadas (Auchenorrhyncha)

<i>Pediopsis tiliae</i>	Nb
-------------------------	----

Flies (Diptera)

Snail-killing flies, picture-wing flies, grass flies and allies (Acalyptata)

<i>Amiota variegata</i>	(Drosophilidae)	RDB1
<i>Astiosoma rufifrons</i>	(Asteiidae)	RDB2
<i>Gaurax britannicus</i>	(Chloropidae)	RDBK
<i>Madiza pachymera</i>	(Milichiidae)	RDB3
<i>Myennis octopunctata</i>	(Ulidiidae)	RDB2
<i>Paraclusia tigrina</i>	(Clusiidae)	RDB2
<i>Periscelis winnertzi</i>	(Periscelididae)	RDB1
<i>Odinia maculata</i>	(Odiniidae)	RDB3
<i>Rainieria calceata</i>	(Micropezidae)	RDB1
<i>Aulacigaster leucopeza</i>	(Aulacigastridae)	N
<i>Aulogastromyia anisodactyla</i>	(Lauxaniidae)	N
<i>Lasiambia baliola</i>	(Chloropidae)	N
<i>Lasiambia brevibucca</i>	(Chloropidae)	N
<i>Leucopis silesiaca</i>	(Chamaemyiidae)	N
<i>Megamerina dolium</i>	(Megamerinidae)	N
<i>Periscelis annulata</i>	(Periscelididae)	N
<i>Pherbellia annulipes</i>	(Sciomyzidae)	N
<i>Sapromyza albiceps</i>	(Lauxaniidae)	N
<i>Sapromyza obsoleta</i>	(Lauxaniidae)	N

Soldier flies, bee flies, robber flies & allies (Larger Brachycera)

<i>Pandivirilia melaleuca</i>	RDB1
<i>Chrysopilus laetus</i>	RDB1
<i>Solva maculata</i>	RDB2
<i>Choerades marginatus</i>	N
<i>Eupachygaster tarsalis</i>	N
<i>Neopachygaster meromelaena</i>	N
<i>Ptiolina nigra</i>	N
<i>Scenopinus niger</i>	N

Hoverflies (Syrphidae)

<i>Callicera spinolae</i>	BAP Priority RDB1
<i>Myolepta potens</i>	BAP Priority RDB1
<i>Pocota personata</i>	RDB2
<i>Brachyopa bicolor</i>	RDB3
<i>Caliprobola speciosa</i>	RDB1
<i>Callicera aurata</i>	RDB3
<i>Myolepta dubia</i>	RDB2
<i>Psilota anthracina</i>	RDB2
<i>Brachyopa insensilis</i>	N
<i>Brachyopa pilosa</i>	N
<i>Brachypalpoidea lenta</i>	N
<i>Brachypalpus laphriformis</i>	N
<i>Criorhina asilica</i>	N
<i>Criorhina ranunculi</i>	N
<i>Ferdinandea ruficornis</i>	N
<i>Mallota cimbiciformis</i>	N
<i>Volucella inflata</i>	N
<i>Xylota florum</i>	N
<i>Xylota xanthocnema</i>	N

Craneflies (Tipulidae)

<i>Ctenophora ornata</i>	RDB1
<i>Ctenophora flaveolata</i>	Yellow-ringed comb-horn RDB2
<i>Tanyptera nigricornis</i>	RDB3

<i>Tipula selene</i>		RDB3
<i>Tipula sarajevensis</i>		RDB1
<i>Tipula siebkei</i>		RDB1
<i>Gnophomyia elsneri</i>		RDB1K
<i>Metalimnobia quadrimaculata</i>		RDB1
<i>Ctenophora pectinicornis</i>		N
<i>Dictenidia bimaculata</i>		Local
<i>Achyrolimonia decemmaculata</i>		Local
Blowflies, dung flies, flesh flies and allies (Calyptrata)		
<i>Admontia seria</i> (Tachinidae)		RDB2
<i>Eustalomyia hilaris</i> (Anthomyiidae)		RDB3
<i>Phaonia canescens</i> (Muscidae)		RDB3
<i>Phaonia exoleta</i> (Muscidae)		RDB3
<i>Phaonia laeta</i> (Muscidae)		RDB3
<i>Potamia setifemur</i> (Muscidae)		RDB1
<i>Xylotachina diluta</i> (Tachinidae)		RDB1
<i>Eustalomyia vittipes</i> (Anthomyiidae)		N
<i>Fannia vespertilionis</i> (Fanniidae)		N
<i>Phaonia pratensis</i> (Muscidae)		N
Beetles (Coleoptera)		
Ground beetles (Carabidae)		
<i>Carabus intricatus</i>		BAP Priority RDB 1
<i>Dromius quadrisignatus</i>		RDB1
<i>Calosoma inquisitor</i>		Na
Leaf beetles (Chrysomelidae)		
<i>Cryptocephalus querceti</i>		RDB2
Weevils (Curculionoidea)		
<i>Tropideres sepicola</i>		RDB2
<i>Dissoleucas niveirostris</i>		RDB2
<i>Dryophthorus corticalis</i>		BAP Priority RDB1
[<i>Phloeophagus gracilis</i>		Extinct]
<i>Ernopus caucasicus</i>		RDB1
<i>Ernopus tiliae</i>		RDB1 (3)
<i>Anthribus fasciatus</i>		Na
<i>Anthribus nebulosus</i>		Nb
<i>Platyrhinus resinosus</i>		Nb
<i>Platystomos albinus</i>		Nb
<i>Choragus sheppardi</i>		Na
<i>Cossonus linearis</i>		Na
<i>Cossonus parallelepipedus</i>		Nb
<i>Rhopalomesites tardyi</i>	Holly weevil	Nb
<i>Stereocorynes truncorum</i>		Na
<i>Trachodes hispidus</i>		Nb
<i>Eroporus fagi</i>		Na
<i>Xyleborus dispar</i>		Nb
<i>Xyloborus dryographus</i>		Nb
<i>Xyloterus signatus</i>		Nb
<i>Platypus cylindrus</i>		Nb
<i>Ixapion variegatum</i>		
Recently discovered in Britain; mainly in neglected orchards. Merits Notable status.		
<i>Ferreria marqueti</i>		

Recently discovered in Britain; subterranean, mainly in gardens. Merits Notable status.

<i>Pentarthrum huttoni</i>	Local
<i>Xyloterus domesticus</i>	Local
<i>Xyloterus lineatus</i>	Local
<i>Xyleborus saxseni</i>	Local

Rove beetles and allies (Staphylinida/Scydmaenidae/Silphidae)

<i>Eutheia formicetorum</i>	RDB1
<i>Eutheia linearis</i>	RDB1
<i>Euconnus pragensis</i>	RDB1
<i>Scydmorephes sparshalli</i>	RDBK
<i>Stenichnus godarti</i>	RDB3
<i>Microscydmus minimus</i>	RDB3
<i>Scydmaenus rufus</i>	RDB2
<i>Phyllodrepa nigra</i>	RDBI
<i>Hypopycna rufula</i>	RDBK
<i>Velleius dilatatus</i>	RDB1
<i>Mycetoporus bimaculatus</i>	RDBK
<i>Tachinus bipustulatus</i>	RDB1
<i>Cypha nitida</i>	RDBK
<i>Gyrophaena poweri</i>	RDBK
<i>Euryusa optabilis</i>	RDBI
<i>Euryusa sinuata</i>	RDBI
<i>Tachyusida gracilis</i>	RDB1
<i>Euplectus brunneus</i>	RDB1
<i>Euplectus nanus</i>	RDBI
<i>Euplectus punctatus</i>	RDB3
<i>Plectophloeus nitidus</i>	RDB2
<i>Amauronyx maerkeli</i>	RDB3
<i>Trimium brevicorne</i>	RDBK
<i>Trichonyx sulcicollis</i>	RDB2
<i>Batrisodes adnexus</i>	RDB1
<i>Batrisodes delaporti</i>	RDB1
<i>Neuraphes plicicollis</i>	N
<i>Neuraphes praeteritus</i>	N
<i>Microscydmus nanus</i>	N
<i>Dendroxena quadrimaculata</i>	Nb
<i>Scaphisoma boleti</i>	N
<i>Megarthus hemipterus</i>	Na
<i>Dropephylla gracilicornis</i>	N
<i>Xylostiba monilicornis</i>	N
<i>Omalium exiguum</i>	N
<i>Omalium rugatum</i>	N
<i>Bledius femoralis</i>	Na
<i>Anotylus mutator</i>	N
<i>Xantholinus angularis</i>	Na
<i>Philonthus pseudoparcus</i>	N
<i>Gabrieus velox</i>	Nb
<i>Quedius aetolicus</i>	Na
<i>Quedius brevicornis</i>	Nb
<i>Quedius microps</i>	Nb
<i>Quedius scitus</i>	Nb
<i>Quedius ventralis</i>	Nb
<i>Quedius xanthopus</i>	Nb

<i>Mycetoporus punctus</i>	N
<i>Sepedophilus bipunctatus</i>	Nb
<i>Sepedophilus testaceus</i>	N
<i>Trichophya pilicornis</i>	Nb
<i>Oligota apicata</i>	N
<i>Oligota flavicornis</i>	N
<i>Gyrophaena joyioides</i>	N
<i>Gyrophaena strictula</i>	N
<i>Placusa tachyporoides</i>	N
<i>Atheta nigrifolia</i>	N
<i>Oxypoda recondita</i>	N
<i>Dexiogyia corticina</i>	N
<i>Aleochara sanguinea</i>	N
<i>Bibloporus minutus</i>	N
<i>Euplectus bonvouloiri</i>	Nb
<i>Euplectus duponti</i>	N
<i>Euplectus fauveli</i>	N
<i>Euplectus kirbyi</i>	N
<i>Batrisodes venustus</i>	Na
<i>Medon dilutus</i>	Local
<i>Philonthus subuliformis</i>	Local
<i>Gabrius splendidulus</i>	Local
<i>Ploeocharis subtilissima</i>	Local
<i>Mycetoporus rufescens</i>	Local
<i>Placusa pumilio</i>	Local

Eutheia formicetorum, *E. linearis*, *Euconnus pragensis*, *Microscydmus minimus*, *Phyllodrepa nigra*, *Tachinus bipustulatus*, *Euryusa sinuata*, *Tachysida gracilis*, *Euplectus brunneus*, *E. nanus*, *Plectophloeus nitidus*, *Batrisodes adnexus* and *B. delaporti* are all, at least in terms of recent records, more or less restricted in England to lowland wood-pasture and parkland sites. *Stenichnus godarti*, *Velleius dilatatus*, *Euryusa optabilis*, *Euplectus punctatus* are less strictly limited to but may be regarded as specialists in this habitat. Recent confirmed records for *E. pragensis*, *P. nigra*, *E. sinuata*, *T. gracilis* and *B. delaporti* are all for the Windsor Great Park and Forest area. *Tachinus bipustulatus* has not been found in Britain since the 1930s when it was last found in Windsor Great Park and Forest.

Quedius microps, *Q. scitus*, *Oxypoda recondita* and *Batrisodes minutus* are mostly restricted to Lowland Wood-pasture and Parkland.

The few confirmed British records for *Medon dilutus* are all for wooded sites that may qualify as Lowland Wood-pasture and Parkland

Dung beetles and chafers (Scarabaeidae)

<i>Gnorimus nobilis</i>	The Noble Chafer	BAP Priority RDB2
<i>Gnorimus variabilis</i>		BAP Priority RDB1
<i>Cetonia cuprea</i>		Nb
<i>Aphodius fasciatus</i>		Nb
<i>Aphodius conspurcatus</i>		Nb
<i>Aphodius nemoralis</i>		Na
<i>Aphodius zenkeri</i>		Nb
<i>Aphodius coenosus</i>		Nb
<i>Aphodius borealis</i>		Local

Click beetles (Elateridae)

<i>Limoniscus violaceus</i>	Violet Click beetle	BAP Priority RDB1
<i>Ampedus nigerrimus</i>		BAP Priority RDB1
<i>Ampedus rufipennis</i>		BAP Priority RDB2
<i>Brachygonus ruficeps</i>		RDB1
<i>Elater ferrugineus</i>		BAP Priority RDB1

<i>Lacon querceus</i>		BAP Priority RDB1
<i>Megapenthes lugens</i>		BAP Priority RDB1
<i>Ampedus cardinalis</i>		RDB2
<i>Ampedus cinnabarinus</i>		RDB3
<i>Prokraerus tibialis</i>		RDB3
<i>Ampedus pomorum</i>		Nb
<i>Ampedus elongantulus</i>		Na
<i>Ampedus quercicola</i>		Nb
<i>Calambus bipustulatus</i>		Nb
<i>Ischnodes sanguinicollis</i>		Na
<i>Diacanthous undulatus</i>		Nb
<i>Stenagostus rhombeus</i>		Local
Stag beetles (Lucanidae)		
<i>Lucanus cervus</i>	Greater Stag Beetle	BAP Priority Nb
False click beetles (Eucnemidae)		
<i>Eucnemis capucina</i>		RDB1
<i>Hylis cariniceps</i>		RDB1
<i>Hylis olexai</i>		RDB3
<i>Melasis buprestoides</i>		Nb
<i>Epiphanis cornutus</i>		Local
Jewel beetles (Buprestidae)		
<i>Anthaxia nitidula</i>		RDB1
<i>Agrilus biguttatus</i>		Na
<i>Agrilus laticornis</i>		Nb
<i>Agrilus sinuatus</i>		Na
<i>Agrilus viridis</i>		Na
False jewel beetles (Throscidae)		
<i>Aulonothroscus brevicollis</i>		RDB3
Net-winged beetles (Lycidae)		
<i>Platycis cosnardi</i>		RDB3
<i>Platycis minutus</i>		Nb
<i>Pyropterus nigroruber</i>		Na
Long-horned beetles (Cerambycidae)		
<i>Leptura revestita</i>		RDB1
<i>Gracilia minuta</i>		RDB2
<i>Pyrrhidium sanguineum</i>		RDB2
<i>Anoplodera sexguttata</i>		RDB3
<i>Grammoptera ustulata</i>		RDB3
<i>Mesosa nebulosa</i>		RDB3
<i>Anoplodera scutellata</i>		Na
<i>Stenostola dubia</i>		Nb
<i>Aromia moschata</i>		Nb
<i>Anaglyptus mysticus</i>		Nb
<i>Molorchus umbellatarum</i>		Na
<i>Grammoptera variegata</i>		Na
<i>Leptura aurulenta</i>		Nb
<i>Prionus coriarius</i>		Na
<i>Saperda scalaris</i>		Na
<i>Leptura quadrifasciata</i>		Local

<i>Phymatodes testaceus</i>	Local
Skin beetles (Trogidae)	
<i>Trox scaber</i>	Local
Ants, bees and wasps (Hymenoptera: Aculeata)	
<i>Dipogon bifasciatus</i>	RDB3
<i>Ancistrocerus antilope</i>	RDB3
<i>Pemphredon rugifera</i>	RDB3
<i>Monosapyga clavicornis</i>	Nb,
<i>Auplopus carbonarius</i>	Nb, Scarce
<i>Microdynerus exilis</i>	Nb, Scarce
<i>Crossocerus binotatus</i>	Na, Scarce
<i>Crossocerus leucostomus</i>	RDB3, Na, Rare
<i>Pemphredon morio</i>	RDB3, Na, Scarce
<i>Passaloecus monilicornis</i>	Rare
<i>Andrena florea</i>	RDB3, RDB3, Scarce
<i>Osmia pilicornis</i>	RDB3, Na, Rare