

Notable invertebrates associated with coastal and floodplain grazing marsh

Slugs and snails (Mollusca)

<i>Anisus vorticulus</i>	RDB 2
<i>Segmentina nitida</i>	RDB1
<i>Valvata macrostoma</i>	RDB2
<i>Pisidium pseudosphaerium</i>	RDB3
<i>Pisidium pulchellum</i>	Nb

Spiders and allies (Arachnida: Araneae and Pseudoscorpiones)

<i>Dolomedes plantarius</i>	RDB1
<i>Argiope bruennichi</i>	Na
<i>Entelecara ommissa</i>	Na
<i>Hypomma fulvum</i>	Na
<i>Meioneta simplicatarsis</i>	Na
<i>Pardosa agrestis</i>	Nb
<i>Syedra gracilis</i>	Nb
<i>Theridiosoma gemmosum</i>	Nb

Woodlice (Isopoda)

<i>Trichoniscoides albidus</i>	Nb
--------------------------------	----

Dragonflies and damselflies (Odonata)

<i>Coenagrion mercuriale</i>	RDB 3
<i>Coenagrion scitulum</i>	RDB 1
<i>Lestes dryas</i>	RDB 2
<i>Aeshna isosceles</i>	RDB 1
<i>Libellula fulva</i>	RDB 3

Grasshoppers and Crickets (Orthoptera)

<i>Gryllotalpa gryllotalpa</i>	BAP Priority
The presence of mole crickets on suitable habitat cannot be ruled out	

True bugs (Hemiptera)

Heteroptera

<i>Hydrometra gracilentia</i>	RDB3 BAP Priority
<i>Adelphocoris ticinensis</i>	Nb
<i>Adelphocoris seticornis</i>	Nb
<i>Capsus wagneri</i>	Nb
<i>Saldula opacula</i>	Nb
<i>Hebrus pusillus</i>	Nb
<i>Microvelia pygmaea</i>	Nb
<i>Sigara striata</i>	Nb
<i>Capsodes gothicus</i>	Local
<i>Corixa affinis</i>	Local
<i>Sigara selecta</i>	Local

Leafhoppers, planthoppers, froghoppers, treehoppers & cicadas (Auchenorrhyncha)

<i>Calligypona reyi</i>	RDBK
-------------------------	------

Beetles (Coleoptera)

Ground beetles (Carabidae)

<i>Badister collaris</i>	RDB1 BAP
--------------------------	----------

<i>Panagaeus cruxmajor</i>	RDB1 BAP
<i>Anisodactylus poeciloides</i>	RDB3 BAP
<i>Amara strenua</i>	RDB3 Species Statement
<i>Badister meridionalis</i>	RDBi
<i>Acupalpus exiguus</i>	Nb
<i>Badister dilatatus</i>	Nb
<i>Badister unipustulatus</i>	Nb
<i>Bembidion clarkii</i>	Nb
<i>Bembidion fumigatum</i>	Nb
<i>Bembidion gilvipes</i>	Nb
<i>Carabus monilis</i>	Nb
<i>Odacantha melanura</i>	Nb
<i>Pterostichus anthracinus</i>	Nb
Leaf beetles (Chrysomelidae)	
<i>Cassida hemisphaerica</i>	Na
<i>Chaetocnema sahlbergi</i>	Na
<i>Chaetocnema subcoerulea</i>	Nb
<i>Chrysolina graminis</i>	Na
<i>Mantura obtusata</i>	Nb
Weevils (Curculionoidea)	
<i>Bagous argillaceus</i>	RDB2
<i>Bagous collignensis</i>	RDB3
<i>Bagous longitarsis</i>	RDB1
<i>Bagous nodulosus</i>	RDB1
<i>Bagous puncticollis</i>	RDB1
<i>Bagous tubulus</i>	RDB2
<i>Ceutorhynchus querceti</i>	RDB2
<i>Lixus paraplecticus</i>	RDB1 (?extinct)
<i>Aspidapion soror</i>	Na
<i>Protapion difforme</i>	Nb
<i>Notaris scirpi</i>	Nb
<i>Tournotaris bimaculatus</i>	Nb
<i>Thryogenes scirrhosus</i>	Nb
<i>Gymnetron beccabungae</i>	Na
<i>Gymnetron veronicae</i>	Nb
<i>Gymnetron villosulum</i>	Nb
<i>Bagous limosus</i>	Nb
<i>Bagous subcarinatus</i>	Na
<i>Bagous tempestivus</i>	Nb
<i>Bagous glabrirostris</i>	Nb
<i>Bagous lutulentus</i>	Nb
<i>Bagous alismatis</i>	Nb
<i>Baris lepidii</i>	Na
<i>Drupenatus nasturtii</i>	Nb
<i>Tapeinotus sellatus</i>	Na
<i>Eubrychius velutus</i>	Nb
<i>Pelenomus comari</i>	Nb
<i>Phytobius leucogaster</i>	Nb
Rove beetles and allies (Staphylinidae/Scydmaenidae/Silphidae)	
<i>Oxytelus piceus</i>	RDBK
<i>Ochtheophilum jacquelinei</i>	RDBI
<i>Philonthus punctus</i>	RDB3

<i>Emus hirtus</i>	RDB1
<i>Tachinus flavolimbatus</i>	RDBK
<i>Aclypea opaca</i>	Na
<i>Bledius tricornis</i>	Nb
<i>Carpelimus foveolatus</i>	N
<i>Carpelimus halophilus</i>	N
<i>Anotylus insecatus</i>	N
<i>Stenus canescens</i>	Nb
<i>Stenus carbonarius</i>	Nb
<i>Stenus nigrutilus</i>	Nb
<i>Achenium humile</i>	Nb
<i>Dacriila fallax</i>	N
¹ <i>Brachygluta simplex</i>	N

¹ Widespread if not quite generally distributed in saltmarshes and coastal grazing marshes, and may not deserve its current conservation status.

<i>Bledius limicola</i>	Local
<i>Platystethus alutaceus</i>	Local
<i>Platystethus nitens</i>	Local
<i>Stenus aceris</i>	Local
<i>Stenus binotatus</i>	Local
<i>Stenus incrassatus</i>	Local
<i>Stenus melanopus</i>	Local
<i>Stenus pallipes</i>	Local
<i>Achenium depressum</i>	Local
<i>Xantholinus jarrigei</i>	Local
<i>Quedius hispanicus</i>	Local
<i>Quedius semiaeneus</i>	Local
<i>Brundinia meridionalis</i>	Local
<i>Myllaena infuscata</i>	Local
<i>Myllaena intermedia</i>	Local

Dung beetles and chafers (Scarabaeidae)

<i>Aphodius consputus</i>	RDB3
---------------------------	------

Water beetles

<i>Hydrophilus piceus</i> Great silver beetle (ditches in grazing marshes in the S of England)	BAP Priority
---	--------------

Flies (Diptera)

Snail-killing flies, picture-wing flies, grass flies and allies (Acalyptrata)

<i>Antichaeta brevipennis</i>	(Sciomyzidae)	RDB2
<i>Colobaea pectoralis</i>	(Sciomyzidae)	RDB2
<i>Elachiptera rufifrons</i>	(Chloropidae)	RDB3
<i>Pherbellia argyra</i>	(Sciomyzidae)	RDB2
<i>Dicraeus scibilis</i>	(Chloropidae)	N
<i>Dicraeus tibialis</i>	(Chloropidae)	N
<i>Ditaeniella grisea</i>	(Sciomyzidae)	N
<i>Incertella scotica</i>	(Chloropidae)	N
<i>Melanochaeta pubescens</i>	(Chloropidae)	N
<i>Oscinisoma gilvipes</i>	(Chloropidae)	N
<i>Sciomyza simplex</i>	(Sciomyzidae)	N

Soldierflies, beeflies, robber flies & allies (Larger Brachycera)

Freshwater:

<i>Odontomyia ornata</i>	RDB
<i>Atylotus rusticus</i>	RDB
<i>Tabanus autumnalis</i>	RDB
<i>Odontomyia tigrina</i>	N
<i>Oxycera morrиси</i>	N
<i>Stratiomys potamida</i>	N
<i>Stratiomys singularior</i>	N
<i>Vanoyia tenuicornis</i>	N
Brackish water:	
<i>Stratiomys longicornis</i>	RDB2
<i>Hybomitra expollicata</i>	RDB3
<i>Hybomitra ciureai</i>	RDB2
<i>Haematopota subcylindrica</i>	[status not known]
<i>Stratiomys singularior</i>	Notable
Hoverflies (Syrphidae)	
<i>Lejops vittatus</i>	RDB2
<i>Anasymia interpuncta</i>	RDB3
<i>Sphaerophoria loewi</i>	RDB2
<i>Lejogaster tarsata</i>	N
<i>Neoascia geniculata</i>	N
<i>Neoascia interrupta</i>	N
<i>Orthonevra geniculata</i>	N
<i>Platycheirus immarginatu</i>	N
Craneflies (Tipulidae)	
<i>Limnophila pictipennis</i>	RDB2
<i>Erioptera bivittata</i>	RDB2
<i>Dicranomyia danica</i>	RDB3
<i>Pilaria scutellata</i>	N
<i>D. ventralis</i>	N
<i>Molophilus pleuralis</i>	
<i>Tipula pierreii</i>	
Blowflies dung flies, flesh flies and allies (Calyptrata)	
<i>Scathophaga scybalaria</i> (Scathophagidae)	N
<i>Spilogona biseriata</i> (Muscidae)	N
Caddis flies (Trichoptera)	
<i>Ylodes reuteri</i>	RDB2
<i>Limnephilus affinis</i>	a common species characteristic of these sites but also found elsewhere
Ants, bees and wasps (Hymenoptera: Aculeata)	
<i>Bombus humilis</i>	BAP Priority
<i>Odynerus simillimus</i>	RDB1, RDB1
<i>Passaloecus clypealis</i>	RDB2, RDB3